




中国健康传媒集团
中国医药科技出版社

Operation introduction of the online Version of Chinese Pharmacopoeia (English Version) (2020)

2020 《中国药典（英文版）》网络版 操作简介



 Pharmacopoeia of the people's Republic of China [2020]



Password login Verification code login

[Forget password](#)

If you have not registered a mobile phone number, we will automatically register an account for you.
By logging in or completing the registration, you agree to the [User Agreement](#) and [Privacy Policy](#).

Sign in

You can log in using your account password, or you can log in using your mailbox and verification code

Register

When you login for the first time, if you use an unregistered mailbox, the system will automatically register a new account for you



Homepage 主页

Personal Center Sign out

Pharmacopoeia of the people's Republic of China (2020)

Please enter a keyword search

Hot Tags

Pharmacopoeia of the people's Republic of China More Pharmacopoeia »

PHARMACOPOEIA OF THE PEOPLE'S REPUBLIC OF CHINA 2020 Volume I

PHARMACOPOEIA OF THE PEOPLE'S REPUBLIC OF CHINA 2020 Volume II

PHARMACOPOEIA OF THE PEOPLE'S REPUBLIC OF CHINA 2020 Volume III

PHARMACOPOEIA OF THE PEOPLE'S REPUBLIC OF CHINA 2020 Volume IV

Copyright © Chinese Pharmacopoeia Commission

Search

Please enter keywords and click on 'search'

Pharmacopoeia database

Click on the book cover to view database details

Click on 'More Pharmacopoeia' to view more database

Personal Center

Click on the 'Personal Center' to enter the user center management page



Pharmacopoeia of the people's Republic of China [2020]
Personal Center [Sign out](#)

search

home / search

Search Results 48 results found

Hupo Baolong Pills
PHARMACOPOEIA OF THE PEOPLE'S REPUBLIC OF CHINA Volume I

Ingredients Dioscoreae Rhizoma (stir-baked) 256 g; Cinnabaris 80 g; Glycyrrhizae Radix et Rhizoma 48 g; Succinum 24 g; Bambusae Concretio Silicea 24 g; Santali Albi Lignum 24 g; Aurantii Fructus (stir-baked) 16 g; Poria 24 g; Arisaema Cum Bile 16 g; Aurantii Fructus Immaturus (stir-baked) 16 g; Ginseng Radix et Rhizoma Rubra 24 g.

Hupo HuanJing Pills
PHARMACOPOEIA OF THE PEOPLE'S REPUBLIC OF CHINA Volume I

Ingredients Succinum 30 g; Chrysanthemi Flos 45 g; Celosiae Semen 45 g, Coptidis Rhizoma 15 g; Phellodendri Chinensis Cortex 45 g; Anemarrhenae Rhizoma 45 g; Dendrobii Caulis 40 g; Rehmanniae Radix 90 g; Ophiopogonis Radix 45 g; Asparagi Radix 45 g; Codonopsis Radix (remove rhizoma) 45 g; Aurantii Fructus (stir-baked with bran) 45 g; Poria 45 g; Glycyrrhizae Radix et Rhizoma Praeparata cum Melle 20 g; Dioscoreae Rhizoma 45 g; Armeniacae Semen Amarum (stir-baked) 45 g; Angelicae Sinensis Radix 45 g; Chuanxiong Rhizoma 45 g; Rehmanniae Radix Praeparata 45 g; Lycii Fructus 45 g; Astragali Complanati Semen 60 g; Cuscutae Semen 45 g; Cistanche Herba (processed with wine) 45 g; Eucommiae Cortex (carbonized) 45 g; Saigae Tataricae Cornu (powdered) 15 g; Powdered Buffalo Horn Extract 18 g.

Indian Trumpetflower Seed
PHARMACOPOEIA OF THE PEOPLE'S REPUBLIC OF CHINA Volume I

Description Butterfly-shaped thin slices, testa extended to wide and thin wing at three sides except the base, 5-8 cm long, 3, 5-4. 5 cm wide. Externally pale yellowish-white, the wing translucent, silky lustrous, with radial striations, most of the edge broken. Texture light, when removed from testa showing cotyledons surrounded by a membranous endosperm. Cotyledons 2, butterfly-shaped, yellowish-green or yellow, 1-1. 5 cm in long diameter. Odour, slight; taste, slightly bitter.

Yanhusuo
PHARMACOPOEIA OF THE PEOPLE'S REPUBLIC OF CHINA Volume I

Description Irregularly oblate, 0. 5-1. 5 cm in diameter. Externally yellow or yellowish-brown, irregularly reticulate-wrinkled. Apex with slightly dented stem scar, base usually tuberculate. Texture hard and fragile, fracture yellow, horny, waxy-sheeny. Odour, slight; taste, bitter.

filtrate Situation filtering

type

all

database

all

search

Search Results

The keywords you search for will be highlighted

You can search for titles or content

Filtrate

You can use type and date base for more detailed searches

Click

Click on the title or details to open the database details and view detailed information



Database
数据库详情

Pharmacopoeia of the people's Republic of China (2020)
Personal Center
Sign out

database / item

PHARMACOPOEIA OF THE PEOPLE'S REPUBLIC OF CHINA Volume I

Online reading

Homepage

Catalogue

- MONOGRAPHS PART I
- MONOGRAPHS PART II
- MONOGRAPHS PART III

Hupo Baolong Pills

Last modified: 2023-03-16 10:33:58

Like

Add to collection

Add Favorite

Read PDF version online

Adjusting font size

Click to view the help menu

Hupo Baolong Wan

琥珀抱龙丸

1016

Ingredients Dioscoreae Rhizoma (stir-baked) 256 g; Cinnabaris 80 g; Glycyrrhizae Radix et Rhizoma 48 g; Succinum 24 g; Bambusae Concretio Silicea 24 g; Santali Albi Lignum 24 g; Aurantii Fructus (stir-baked) 16 g; Poria 24 g; Arisaema Cum Bile 16 g; Aurantii Fructus Immaturus (stir-baked) 16 g; Ginseng Radix et Rhizoma Rubra 24 g.

Procedure Pulverize Succinum to very fine powder, levigate Cinnabaris to very fine powder. Pulverize the remained nine ingredients to fine powders and mix with the above powders, sift and mix well. To each 100 g of the powders add 90-110 g of refined honey to make small honeyed pills or big honeyed pills.

Description Brownish-red small honeyed pills or big honeyed pills; taste, sweet, slightly bitter, pungent.

Identification (1) Microscopical: Irregularly branched masses colourless, dissolved in chloral hydrate TS; hyphae, colourless or pale brown, 4-6 μm in diameter (Poria). Raphids of calcium oxalate occurring in mucilage cells, 80-240 μm long, 2-8 μm in diameter (Dioscoreae Rhizoma). Crystal cells square or rectangular, walls thickened, specially thickened at corners, lignified, lumina containing prisms of calcium oxalate (Santali Albi Lignum). Irregular fragments pale yellowish-green or brownish-yellow, transparent or translucent (Succinum).

(2) Grind 5. 4 g of the pills, cut into pieces, with 3 g of kieselguhr to fine powder. To the powder add 60 ml of ether, ultrasonicate for 10 minutes, filter and discard the ether solution, to the drug residue, expell the solvent, add 60 ml of methanol, ultrasonicate for 30 minutes, filter and evaporate the filtrate to dryness, dissolve the residue in 30 ml of water, heat under reflux with 2 ml of hydrochloric acid and 20 ml of chloroform for 1 hour, allow to cool, separate the chloroform layer and extract the water layer with 30 ml of chloroform, combine the chloroform extract and evaporate to dryness, dissolve the residue in 1 ml of ethyl acetate as the test solution. Dissolve a quantity of glycyrrhetic acid CRS in ethyl acetate to produce a solution containing 0.5 mg per ml as the reference solution. Carry out the method for thin layer chromatography (0502), using silica gel GF₂₅₄ as the coating substance and a mixture of n-hexane, ethyl acetate and glacial acetic acid (15: 4: 1) as the mobile phase. Apply separately 5 μl of each of the test solution and reference solution to the plate. After developing and removal of the plate, dry in air. Examine under ultraviolet light at 254 nm, the spot in the chromatogram obtained with the test solution corresponds in position and colour to the spot in the chromatogram obtained with the reference solution.

(3) Grind 5. 4 g. cut into pieces, with 5 g of kieselguhr to fine powder. To the powder add 80 ml of methanol, heat under reflux for



Pharmacopoeia of the people's Republic of China (2020)

Personal Center Sign out

Personal Center

步行天下
中国医药科技出版社

0 articles
Number of likes

24 articles
My Tracks

VIP validity **renew**

Number of likes
0 articles

My Tracks
24 articles

Open members and enjoy books

My collection My message Feedback My permissions Order Information

No collection records

< 1 > 前往 1 页

Recent reading More

- Hupo Baolong Pills 1hours ...
- Entada Seed 1hours ...
- Canton Love-pea Vine 5days a...
- Dianxianping Tablets 9days a...
- Calamine 14days ...
- Pule'an Capsules 14days ...
- Hot Pepper 14days ...
- Insect Wax 14days ...
- Baclofen 20days ...
- Acarbose Tablets 20days ...

Click to modify password and personal information

VIP validity

Join Vip to browse all database content
Click on 'renew' to view the payment method

My permissions

Company or organization grants browsing permission

My message

Feedback records or system messages

The background features a low-poly, geometric design composed of various-sized triangles in shades of blue and green. The colors transition from a light, pale blue on the left to a deeper, more vibrant blue and green on the right. The triangles are arranged in a way that creates a sense of depth and movement, with some shapes appearing to float or overlap. The overall aesthetic is clean, modern, and professional.

Thanks for using